## All doses based on <u>weight,</u> not <u>age</u> Give the dose <u>at or below</u> the child's weight

| <u>Med</u>                               | Concentration      | Weight        | Dose    | Frequency     |  |  |
|--|--------------------|---------------|---------|---------------|--|--|
| May be used as needed for pain or fever: |                    |               |         |               |  |  |
| Tylenol                                  | 160mg/5ml          | 18 lbs        | 3.75ml  | every 4 hours |  |  |
| (Acetaminophen)                          |                    | 24 lbs        | 5 ml    |               |  |  |
|  |                    | 30 lbs        | 6.25 ml |               |  |  |
|  |                    | 35 lbs        | 7.5 ml  |               |  |  |
|  |                    | 41 lbs        | 8.75 ml |               |  |  |
|  |                    | 47 lbs        | 10 ml   |               |  |  |
|  |                    | 59 lbs        | 12.5 ml |               |  |  |
|  |                    | 70 lbs and up | 15 ml   |               |  |  |
| Tylenol 325mg tablets                    |                    | 47-95 lbs     | 1 tab   |               |  |  |
|  |                    | 95 lbs and up | 2 tabs  |               |  |  |
| Motrin/Advil 100mg/5ml                   |                    | 17 lbs        | 3.75 ml | every 6 hours |  |  |
| (Ibuprofe                                | n)                 | 22 lbs        | 5 ml    |               |  |  |
|  |                    | 28 lbs        | 6.25 ml |               |  |  |
|  |                    | 33 lbs        | 7.5 ml  |               |  |  |
|  |                    | 39 lbs        | 8.75 ml |               |  |  |
|  |                    | 44 lbs        | 10 ml   |               |  |  |
|  |                    | 55 lbs        | 12.5 ml |               |  |  |
|  |                    | 66 lbs        | 15 ml   |               |  |  |
|  |                    | 77 lbs        | 17.5 ml |               |  |  |
|  |                    | 88 lbs and up | 20 ml   |               |  |  |
| Motrin/A                                 | dvil 200mg tablets | 44-88 lbs     | 1 tab   |               |  |  |
|  |                    | 88 lbs and up | 2 tabs  |               |  |  |

## May be used as needed for allergic reaction or symptoms of allergic rhinitis:

| Benadryl 12.5mg/5ml   | 14 lbs         | 2.5 ml  | every 6 hours |
|-----------------------|----------------|---------|---------------|
| (Diphenhydramine)     | 20 lbs         | 3.75 ml | -             |
|                       | 28 lbs         | 5 ml    |               |
|                       | 34 lbs         | 6.25 ml |               |
| (May cause sedation!) | 41 lbs         | 7.5 ml  |               |
|                       | 48 lbs         | 8.75 ml |               |
|                       | 55 lbs         | 10 ml   |               |
|                       | 69 lbs         | 12.5 ml |               |
|                       | 83 lbs         | 15 ml   |               |
|                       | 110 lbs and up | 20 ml   |               |

Benadryl 25mg tablets 55-110 lbs 1 tab every 6 hrs

110 lbs and up 2 tabs

Or

Zyrtec or Claritin Age 2 years-6 years 5 ml every 24 hrs

(5mg/5ml) Age 6 and up 10 ml

Zyrtec or Claritin 10mg tabs Age 6 and up 1 tablet

May be used as needed for pain or cramping in older children:

Aleve 220mg tabs 70 lbs and up 1 tab every 12 hrs